

Toggle clamps horizontal with flat foot and full holding arm

Item description/product images



Angle bracket for front face mounting (see accessories)

Description

Material:

Steel.

Version:

Trivalent passivated.

Plastic grip oil-resistant.

Note:

spindle bracket weldable.

Accessory:

K0098

K0100

K0101


K0102

K0103

K0106

Toggle clamps horizontal with flat foot and full holding arm

Drawings



Overview of items

Toggle clamps horizontal with flat foot and full holding arm

Order No.	Opening angle of holding arm	Opening angle of handle	Hand force FH N	Retaining force F1 N	Retaining force F2 N	Clamping force F3 N	Clamping force F4 N	Matching plastic grip
K0076.0250	95°	80°	200	1500	3500	800	1950	K0100.28
K0076.0350	90°	75°	250	2500	5500	1150	3100	K0100.30
K0076.0450	90°	75°	250	3000	6500	1150	3100	K0100.34

Toggle clamps horizontal with flat foot and full holding arm

Overview of items

Order No.	A	A1	A2	B	B1	B2	B3	B4	C	C1	C3	D	D1	E	H	L	L1	Clamping spindle	Order No. Angle bracket
K0076.0250	26	42	8	32	47	23	6	27	34	17,5	17,5	6,6	8,3	24	67	226	82	M8x60	K0098.04
K0076.0350	41,2	59	9	43,7	60	30	8	39,7	45	24	22	8,7	10,3	30	91	272	110	M10x80	K0098.06
K0076.0450	41,2	67	13	42,8	68	38	10	-	59	27	26	8,7	12,3	32	110	310	130	M12x100	K0098.06